







Change Notification UK National Blood Services No. 26 - 2022

Ehlers Danlos Syndrome

These changes apply to the Whole Blood and Components Donor Selection Guidelines.

Please add the following entry.

Obligatory	Must not donate if: a. there is history of excessive bleeding or bruising b. there is a history of repeated joint dislocation involving the upper limbs c. there are complications due to effects on the heart, cardiovascular system and other organs, e.g. heart valve disease or aortic root involvement, or the donor is under active investigation, treatment or follow up by a specialist
	there is active periodontal disease
Discretionary	If the condition is mild and donor is not prone to excessive bruises or bleeding, even if taking analgesics for joint pain, accept
See if Relevant	Arthritis Cardiovascular Disease Drug Index Joint Injection Autoimmune Disease
Additional Information	Ehlers Danlos syndrome is usually a mild condition which typically presents with hypermobility of joints, joint pains and tendency to bruising. Most donors are treated symptomatically, usually with analgesics for joint pains.
	If there is doubt about the diagnosis or severity, refer
	to a Designated Clinical Support Officer.

A-Z index changes

Add the following keywords as links to this entry:

- EDS
- Ehlers Danlos Syndrome

Email: caroline.smith@nhsbt.nhs.uk Mobile: +44 (0) 771 144 7302











Stephen Thomas Professional Director - Joint UKBTS Professional Advisory Committee

⊠ stephen.thomas@nhsbt.nhs.uk