

North East Regional Transfusion Committee

# NORTHERN REGIONAL PROCEDURE

# PROCEDURE FOR THE TRANSFER OF BLOOD COMPONENTS BETWEEN HOSPITALS

Version	1.8.
Ratified by	North East Regional Transfusion Committee
Date ratified	4 <sup>th</sup> November 2020
Name of authors	Peter Parker, Peter Armstrong, Sue Barnes,
	Richard Gray (Version 1.5 January 2010)
	Sue Barnes (Version 1.6 January 2014)
	Karen Ward (Version 1.7 March 2017)
Reviewed: Karen Ward	May 2020
Approved	November 2020
Due for review	November 2023
Target audience	Transfusion Laboratory Staff

## Statement of changes made from version 1.7

Version	Date	Description
1.8	2020	Changes Highlighted

AUTHORISED FOR USE BY NEWCASTLE BLOOD CENTRE USER GROUP NORTH EAST REGIONAL TRANSFUSION COMMITTEE

		PAGE
	CONTENTS	2
1.0	INTRODUCTION	3
2.0	PRINCIPLE	3
3.0	TRANSFER OF BLOOD COMPONENTS ACCOMPANYING PATIENT	3
3.1	BLOOD COMPONENT SELECTION AND PRELIMINARY DOCUMENTATION	3
3.2	BLOOD COMPONENT PACKAGING AND FINAL DOCUMENTATION	4
3.3	DISPATCH OF BLOOD COMPONENTS	4
3.4	PROCEDURE FOR THE RECEIVING HOSPITAL TRANSFUSION LABORATORY STAFF	5
4.0	STOCK TRANSFER OF BLOOD COMPONENTS BETWEEN HOSPITAL TRANSFUSION LABORATORIES	6
4.1	BLOOD COMPONENT SELECTION & PRELIMINARY DOCUMENTATION	6
4.2	BLOOD COMPONENT PACKAGING AND FINAL DOCUMENTATION	6
4.3	DISPATCH OF BLOOD COMPONENTS	6
4.4	PROCEDURE FOR THE RECEIVING HOSPITAL TRANSFUSION LABORATORY STAFF	7
5.0	APPENDICES	8
5.1	TRANSFER DOCUMENTATION	8
5.2	PACKAGING INSTRUCTIONS	9 - 12
5.3	ADVICE FOR STAFF WHEN TRANSFERRING BLOOD WITH A PATIENT	13
5.4	DISPATCH LABEL	14
5.5	REGIONAL HOSPITAL CONTACT NUMBERS	15
5.6	DRIVER DOCUMENTATION	16
6.0	REFERENCES	17

## 1.0 INTRODUCTION

The Blood Safety and Quality Regulations (BSQR) 2005 require protocols to be in place within all hospitals to trace unambiguously the fate of all units from donor to patient, or if not transfused the final fate of each unit.

This document seeks to standardise the procedures for the transfer of blood and components between hospitals in the North East Region. It is intended as a general guide to encompass practices for all users. Hospitals are encouraged to add local protocols to the policy where appropriate but not to detract from the practices outlined in this document.

It is accepted that transport of blood is optimally managed by transfer from one blood transfusion laboratory to another blood transfusion laboratory. However, in clinical practice this is not always possible. It should only be on rare occasions that transfer of blood with a patient is undertaken<sup>1,2</sup> When there is a high risk of the patient bleeding en route blood components may be transferred with the patient but only if staff accompanying the patient can prescribe and administer the components. In this clinical scenario the receiving hospitals blood transfusion laboratory must be given the accompanying paperwork and details of all units transfused as soon as possible.

## 2.0 PRINCIPLE

Blood components are sometimes transferred between hospitals either with a patient, or as an efficient use of blood stocks. It is essential for legal reasons (BSQR, 2005) to ensure the audit trail is maintained when blood components are transferred and to ensure patient transfusion records are updated accordingly (HSC 2007/001 Better Blood Transfusion *Safe and Appropriate Use of Blood*). The BSQR require adequate systems to be in place to ensure traceability of blood components. As such it is essential for laboratories to ensure the cold chain and traceability audit trails are maintained and records updated accordingly when blood components are transferred between hospitals.

Blood components may be transferred for the following reasons:

- Blood components allocated to a specific patient may be needed urgently for resuscitation en route or on arrival at the receiving hospital.
- Routinely, blood component allocated to a specific patient may require transfer to a blood fridge located in a satellite hospital/unit of the dispatching hospital (although this may be covered by a separate local policy)
- Agreed transfer of blood component stock between hospital blood transfusion laboratories.

## 3.0 TRANSFER OF BLOOD COMPONENTS ACCOMPANYING PATIENTS

Procedure for the transferring hospital transfusion laboratory staff

### 3.1 Blood Component Selection and Preliminary Documentation

- 3.1.1 Document the telephone call from the ward or unit requesting the transfer of the blood component.
- 3.1.2 Ensure the patient identification is obtained including the unique identification number, name, date of birth and NHS number if available.
- 3.1.3 Document the details of the receiving hospital and ward/department including the approximate time of departure.

3.1.4 Identify the component type and the number of units required for transfer. Confirm appropriately trained staff will be accompanying the patient on transfer.

## 3.2 Blood Component Packaging and Final Documentation

- 3.2.1 Complete the transfer document (Appendix 5.1) including a record of the unit donation numbers and make a copy of this document. Patient initials must be used rather than full name to maintain patient confidentiality. The unique identification number and DOB should still be recorded. Return the units to suitable storage conditions whilst preparing the transport box, packing materials and labels.
- 3.2.2 Platelets must be stored on a platelet agitator until ready for dispatch.
- 3.2.3 Immediately before dispatch package the blood components as detailed in Appendix 5.2.

Do not pack different blood component types in the same transport box e.g. red cells and FFP. These should be packed in separate boxes with the correct phase change material that has been stored at the appropriate temperature for that component.

Red cells 2-6°C Defrosted FFP 2-6°C but separate transport box unless had been stored refrigerated before transfer for a sufficient period time to have reached 2-6°C Platelets 20-24°C

- 3.2.4 Place all the appropriate documentation in or attached to the transport box, retaining a copy of the transfer document. Medical staff travelling with the patient/blood components should be given the information leaflet 'Advice for staff transferring blood with a patient' see Appendix 5.3.
- 3.2.5 Replace the box lid, seal box with tie wrap/security tag and place completed dispatch label (Appendix 5.4) into the top pocket of the box.
- 3.2.6 If appropriate for the transferring Trust, document on the Laboratory Information System (LIS) the units marked as transferred and record the destination hospital. If Trusts have a shared LIS system this may not be indicated and the necessary history will be recorded on the Transfer Form.

## 3.3 Dispatch of Blood Components

- 3.3.1 On dispatch of the blood components, immediately contact the transfusion laboratory of the receiving hospital and inform them of the dispatch (Contact details are listed in Appendix 5.5). NB The transfusion laboratory may not be on the same site as the receiving hospital. Provide the following information:
  - Time of dispatch
  - Mode of transport
  - Estimated time of arrival
  - Number and type of components
  - Patient identification details
  - Known antibodies or special requirements
  - Ward or department
- 3.3.2 Email a copy of the transfer documentation to the receiving transfusion laboratory.
- 3.3.3 The final fate of the transferring units will be recorded by the receiving hospital, including any units transfused en route. The exception to this is if the receiving hospital is unable to fate the components on their computer system in which case

they will request the sending hospital fate the components and will provide the necessary information.

### 3.4 Procedure for the receiving hospital transfusion laboratory staff

- 3.4.1 The receiving transfusion laboratory will be informed by the dispatching laboratory of the expected delivery.
- 3.4.2 The staff of the receiving transfusion laboratory should document the expected delivery and where applicable inform the ward or department receiving the patient that blood/components will be accompanying the patient.
- 3.4.3 Local policies should be in place to ensure received blood components are directed to the hospital transfusion laboratory immediately on arrival and transferred to suitable storage facilities.
- 3.4.4 On arrival, the transfusion laboratory staff should check the integrity of the box and complete and confirm the following acceptance checks:
  - The transport box and its tamper proof seals have been examined and found to be in a satisfactory condition
  - Packaging material is in a satisfactory condition
  - The transport box has been received within its validated transfer times
  - Documentation accompanying the components is satisfactory
  - The component labelling and contents have been examined and are satisfactory

Any failures of the above checks must be documented and the units quarantined until a decision is made on the most appropriate fate of the components.

- 3.4.5 Complete the transfer document to verify the units are suitable for subsequent patient transfusion or acceptance into blood bank stock.
- 3.4.6 Any blood components received in the transfusion laboratory, including any which will be disposed of due to poor storage conditions, must be entered into stock and have their fate recorded.
- 3.4.7 The receiving hospital must confirm receipt of any units by emailing back or returning a copy of the completed transfer document back to the originating hospital.
- 3.4.8 The final fate of the transferring units will be recorded by the receiving hospital, including any units transfused en route. The exception to this is if the receiving hospital is unable to fate the components on their computer system in which case they will request the sending hospital fate the components and will provide the necessary information.
- 3.4.9 Where blood components have been transfused en route the completed traceability documents (labels and forms) must be obtained by the receiving transfusion laboratory so that the information can be shared with the sending hospital if required.

# 4.0 STOCK TRANSFER OF BLOOD COMPONENTS BETWEEN HOSPITAL TRANSFUSION LABORATORIES

# This includes transfer of stock for a specific patient that is being transferred independently of the patient e.g. blood components with special requirements.

Procedure for the transferring hospital transfusion laboratory staff

## 4.1 Blood Component Selection and Preliminary Documentation

4.1.1 Identify the component type and the number of units required for transfer.

## 4.2 Blood Component Packaging and Final Documentation

- 4.2.1 Complete the transfer document (Appendix 5.1) including a record of the unit donation numbers and make a copy of this document. If the stock being transferred is for a specific patient, patient details must be recorded on the transfer document. Return the units to suitable storage conditions whilst preparing the transport box, packing materials and labels.
- 4.2.2 Platelets must be stored on a platelet agitator until ready for dispatch.
- 4.2.3 Immediately before dispatch package the blood components as detailed in Appendix 5.2.

Do not pack different blood component types in the same transport box e.g. red cells and FFP. These should be packed in separate boxes with the correct phase change material that has been stored at the appropriate temperature for that component.

Red cells 2-6°C Defrosted FFP 2-6°C but separate transport box unless had been stored refrigerated before transfer for a sufficient period time to have reached 2-6°C Platelets 20-24°C

- 4.2.4 Place all the appropriate documentation in or attached to the transport box, retaining a copy of the transfer document. Transport staff such as taxi drivers responsible for transporting the blood components should be given the information leaflet 'Golden rules for drivers' if they are unfamiliar with their responsibilities see Appendix 5.6.
- 4.2.5 Replace the box lid, seal box with tie wrap/security tag and place completed dispatch label (Appendix 5.4) into the top pocket of the box.
- 4.2.6 If appropriate for the transferring Trust, document on the Laboratory Information System (LIS) the units marked as transferred and record the destination hospital. If Trusts have a shared LIS system this may not be indicated and the necessary history will be recorded on the Transfer Form.

## 4.3 Dispatch of Blood Components

- 4.3.1 On dispatch of the blood components, immediately contact the transfusion laboratory of the receiving hospital and inform them of the dispatch (Contact details are listed in Appendix 5.4).
  - Time of dispatch
  - Mode of transport
  - Estimated time of arrival

- Number and type of components
- 4.3.2 Email a copy of the transfer documentation to the receiving transfusion laboratory.
- 4.3.3 The final fate of the transferring units will be recorded by the receiving hospital.

### 4.4 Procedure for the receiving hospital transfusion laboratory staff

- 4.4.1 The receiving transfusion laboratory will be informed by the dispatching laboratory of the expected delivery.
- 4.4.2 The laboratory staff of the receiving transfusion laboratory should document the expected delivery.
- 4.4.3 Local policies should be in place to ensure received blood and components are directed to the hospital transfusion laboratory immediately on arrival and transferred to suitable storage facilities.
- 4.4.4 On arrival, transfusion laboratory staff should check the integrity of the box and complete and confirm the following acceptance checks:
  - The transport box and its tamper proof seals have been examined and found to be in a satisfactory condition
  - Packaging materials and gel packs are in a satisfactory condition
  - The transport box has been received within its validated transfer times
  - Documentation accompanying the components is satisfactory
  - The component labelling and contents have been examined and are satisfactory

Any failures of the above checks must be documented and the units quarantined until a decision is made on the most appropriate fate of the components.

- 4.4.5 Complete the transfer document to verify the units are suitable for acceptance into blood bank stock. If stock has been transferred for a specific patient the receiving hospital needs to process this as per their routine process.
- 4.4.6 Any blood components received in the transfusion laboratory, including any which will be disposed of due to poor storage conditions, must be entered into stock and have their fate recorded.

The receiving hospital must confirm receipt of any units by emailing back or returning a copy of the completed transfer document back to the originating hospital.

The final fate of the transferring units will be recorded by the receiving hospital including any that have been discarded as unacceptable. These must all be entered into stock and have their final fate recorded.

#### 5.0 **APPENDICES**

#### **Transfer Documentation** 5.1

### BLOOD COMPONENT TRANSFER DOCUMENTATION

This form **must** accompany all blood components transferred between hospitals NB Sender must also retain a copy of this document

Blood Component Despatched from:		Se	Sent to:					Crossmatched			Stock				
Fax number/Email address : ( for return of complet		eted f	orm)					Un	crossma	atched					
COMPONENT						·	FATE								
R - Red cells	P – Pla	latelets F – Thawed FFP			P	D – D	iscard	led	<b>T</b> – '	Trans	sfused	<b>S</b> -	Returned	to stock	
ANY SPECIAL															
REQUIREMENTS	3					ISBT	Donat	ion Ni	imbei	r				Comp	Fate
															1 dic
Unique ID Numbe	er														
DOB															
202			-												
Blood Group			_				-					$\left  \right $			
ANY SPECIAL															
REQUIREMENTS	6						Dana	in a bli	una la ca					Comm	Fata
Initials of Patient							Donai		lampe					Comp	Fale
Unique ID Numbe	er		_												
DOB															
Blood Group															
I confirm the units	of blood	compone	ents ha	ve beel	n pac	ked in	acco	rdance	e with	the R	egion	al Trans	sfer Poli	icy prior to d	espatch
SENDING HOSPI	ITAL				Da	ate						Time			
					Pr	int na	me								
					Si	gnatu	re								
Provided bo	x rema	ains se	aled	conte	ents	vali	id ur	ntil:							
Once box seal b	oroken tr	ansfusio	n of th	e cont	ents	must	be c	omple	eted v	vithin	4 hoi	urs of c	pening	or the uni	ts will
have to be disca	arded. N	OTE: Th	e rece	iving la	abora	atory	will m	iake t	his de	ecisio	n				
TRANSPORTED	WITH:				Da	ate						Time			
Driver or Nursing/	Medical	staff detai	ls		Pr	int na	me								
					Si	gnatu	re								
I confirm that the	e blood (	Compone	nts arriv	/ed nar	kade	d ann	ropria	telv							
RECEIVING HOS		Subone	no ann	ad pau	naye Da	a app ate	oprid	lery				Time			
					D-	int no	me					e			
Box was received	sealed	Yes/N	lo		F1										
Box had been ope	ened	Yes/N	10		Si	gnatu	re								

#### BLOOD AND COMPONENTS MUST BE DELIVERED IMMEDIATELY TO BLOOD BANK

Blood Component Transfer Documentation – Version 5 Approved May 2020

Review May 2023

## 5.2 Packaging Instructions

## NHSBT short journey container (Blood/blood components requiring 4°C±2°C transport)

INFORMATION ONLY		The NHSB designed f componen The small be used fo VALIDATE <b>7 HOURS</b> Used for tr hospitals u	T short j or the tra ts (red c NHSBT r transport D FOR ansport nder the	ourney contair ansportation of ells, thawed FF short journey c ort of 1-6 red ca TRANSPORTA of blood/compo Regional Trar	ners are blood FP, platelets). container can ells or platelets. ATION UP TO onents to osfer Policy.
STEP 1 PRE-CONDITIONING OF COOL PACKS		The NHSB change ma <b>Blue</b> PCM at 2-6°C fo The date a conditionin the minimu	T short j aterial (P for trans r a minir nd time g is writt im time i	ourney contair CM). sport at 4°C pre num of <b>72 hou</b> PCM's are plac ten on each pa requirements a	e-conditioned rs. ced into pre- nel to ensure re met.
	Packaging example for 2 units	Packaging use the sm	depend allest co	s on container ontainer availat	size. Always ble.
		Container size	Using B condition	Blue PCMs which oned for 72 hours	have been pre-
			No. of PCMs	No. of components	Layout
APONENTS		Small container	4	1 - 6	2 PCMs at the bottom side by side Blood components in the middle laid flat 2 PCMs on the top side by side
STEP 2 PACKAGE CON	Blue PCMs Container				



## NHSBT short journey container (Blood components requiring 22°C±2°C transport)

INFORMATION ONLY		The NHSBT designed for components The small N be used for VALIDATED 8 HOURS Used for tran hospitals un	short jo the trar (red ce HSBT sl transpor FOR T nsport o der the l	urney contain isportation of lls, thawed FF nort journey c t of 1-6 red ce RANSPORTA f blood/compo Regional Tran	ers are blood P, platelets). ontainer can ells or platelets. TION UP TO onents to isfer Policy.
STEP 1 PRE-CONDITIONING OF COOL PACKS		The NHSBT change mate Green PCM pre-condition hours. The date an conditioning the minimun	short jo erial (PC for tran- ned at 2 d time P is writte n time re	urney contain M). sport at 22°C= 0-24°C for a n CM's are plac n on each pai quirements a	ers use phase £2°C ninimum of <b>48</b> ced into pre- nel to ensure re met.
STEP 2 PACKAGE COMPONENTS	Packaging example for 1 unit	Packaging c use the sma guide below Container size Small container	lepends llest cor : Using C pre-con No. of PCMs 4	on container atainer availab Green PCMs whi ditioned for 48 No. of components 1 - 6	size. Always ole. Follow the ch have been hours Layout 2 PCMs at the bottom side by side Blood components in the middle laid flat 2 PCMs on the top side by side



Use of other transport boxes / temperature control material is by agreement between the sending / receiving hospitals. Packaging instructions must still apply.

Please ensure the following sheet is issued to the member of clinical staff responsible for the transfer box when blood components are being transferred with a patient.

## **Blood Component Transfer Advice for Staff**

The blood and blood components have been packed in this transfer box following blood transfusion laboratory guidelines.

# PLEASE ENSURE THE BOX REMAINS SEALED UNTIL IMMEDIATE TRANSFUSION OF THE PATIENT IS INDICATED

#### Before transferring the patient:

- Check to make sure the boxed component is for the patient you are accompanying
- Blood components must only be transferred with a patient if accompanied by transfer staff who can prescribe and administer the component
- Please ensure the patient has a wristband in situ stating the patient's hospital number (from the transferring hospital), date of birth and name (if known or temporary allocated name)
- If a decision is made NOT to transfer the blood components with the patient or to transfuse the patient onsite before transfer, contact the transfusion laboratory and return the transfer box immediately

#### During transfer:

- Blood components are suitable for transfusion until the time indicated on the transfer document provided the box remains sealed
- Once opened temperature control is lost so transfusion of all the units must be completed within 4 hours of opening the box or the units may have to be discarded - the receiving laboratory will make this decision
- If blood components are required during the patient's journey or on immediate arrival at the receiving hospital, please ensure they are checked and transfused in accordance with local policy. Traceability of the components is essential – ensure all labels and paperwork completed and passed to transfusion laboratory staff
- Please ensure the lid **REMAINS** on the box at all times. If blood components are removed for transfusion, please replace the lid <u>IMMEDIATELY!</u>

#### On arrival:

- When the patient arrives in the receiving clinical area, please ensure the blood transfer box is handed over to the transfusion laboratory staff immediately
- Please state how many blood components were transfused during the journey and any adverse events (if occurred)

Blood Transfer Advice for Staff Version 4 Approved May 2020

Review May 2023

# BLOOD COMPONENTS FOR URGENT ATTENTION

DELIVER TO:

FOR ATTENTION OF:

TIME PACKAGED .....

DATE

## **IMPORTANT – PLEASE READ**

Any component contained in this box must be placed in an approved blood transfusion storage location by:

.....hrs on ..../..../....

## **BLOOD COMPONENTS** FOR URGENT ATTENTION

DELIVER TO:

FOR ATTENTION OF:

TIME PACKAGED .

DATE

<u>IMPORTANT – PLEASE READ</u> Any component contained in this box must be placed in an approved blood transfusion storage location by:

.....hrs on ..../..../....

## **BLOOD COMPONENTS** FOR URGENT ATTENTION

**DELIVER TO:** 

FOR ATTENTION OF:

TIME PACKAGED

DATE

<u>IMPORTANT – PLEASE READ</u> Any component contained in this box must be placed in an approved blood transfusion storage location by:

.....hrs on ..../..../....

## **BLOOD COMPONENTS** FOR URGENT ATTENTION

**DELIVER TO:** 

FOR ATTENTION OF:

TIME PACKAGED

DATE

<u>IMPORTANT – PLEASE READ</u> Any component contained in this box must be placed in an approved blood transfusion storage location by:

.....hrs on ...../...../.....

## 5.5 Regional Hospital Contact Numbers

N	orth East and	I North Cumbria	<u>Hospital</u>	Addresses a	<u>nd Telephone Numbers</u>	
Hospital Name	Address 1	Address 2	Postcode	Switchboard	Email	Direct Dial Blood Bank
Cumberland Infirmary	Newtown Road	Carlisle	CA2 7HY	01228 523444	NHSBT@ncic.nhs.uk	01228 814 519 OOH 07803 150869
Darlington Memorial Hospital	Hollyhurst Road	Darlington	DL3 6HX	01325 380100	cddft.bloodtransfusion@nhs.net	01325 743 167
Freeman Hospital	Freeman Road	High Heaton Newcastle upon Tyne	NE7 7DN	0191 233 6161	nuth.labtransfusionteam@nhs.net	0191 213 7849
James Cook University Hospital	Marton Road	Middlesbrough	TS4 3BW	01642 850 850	jcuhbt@nhs.net	01642 282630
Newcastle Nuffield Hospital	Clayton Road	Jesmond Newcastle upon Tyne	NE2 1JP	0191 281 6131	nh.newcastle.pathology@nhs.net	0191 212 5236
Northumbria Specialist Emergency Care Hospital	Northumbria Way	Cramlington	NE23 6NZ	0344 811 8111	transfusionlab@nhct.nhs.uk	0191 6072242 01670 707129
Queen Elizabeth Hospital	Queen Elizabeth Avenue	Sheriff Hill Gateshead	NE9 6SX	0191 482 0000	ghnt.labtransfusion@nhs.net	0191 445 2281
Royal Victoria Infirmary	Queen Victoria Road	Newcastle Upon Tyne	NE1 4LP	0191 233 6161	nuth.labtransfusionteam@nhs.net	0191 282 4335
South Tyneside District Hospital	Harton Lane	South Shields	NE34 0PL	0191 404 1000 Extn 2309	ghnt.labtransfusion@nhs.net	0191 427 5066
Spire Hospital	Picktree Lane	Washington	NE38 9JZ	0191 4188669	spire.washingtonpathology@nhs.net	0191 4 <mark>1</mark> 51182
Sunderland Royal Hospital	Kayll Road	Sunderland	SR4 7TP	0191 565 6256	ghnt.labtransfusion@nhs.net	0191 569 9077
University Hospital of North Durham	North Road	Durham	DH1 5TW	0191 333 2333	cddft.bloodtransfusion@nhs.net	0191 333 2443
University Hospital of North Tees	Hardwick	Stockton on Tees	TS19 8PE	01642 617617	nth-tr.bloodbank@nhs.net	01642 624 462
West Cumberland Hospital	Hensingham	Whitehaven Cumbria	CA28 8JG	01946 693 181	NHSBT@ncic.nhs.uk	01946 523 432

## 5.6 Driver documentation

•	Blood components are strictly regulated by the Blood Safety and Quality Regulations 2005. The transport of blood components is covered by these regulations.
•	You must always carry a valid ID badge and present this when requested so we know you are authorised to do the job.
•	When you have been given your consignment you must ensure it is delivered directly to the correct location as identified on the transportation box. It is not acceptable to take it to a different department.
•	You must always place the consignment in the boot/rear of your vehicle as temperature control is important.
•	You must never open the box or tamper with the contents as this will affect the temperature control.
•	You must not pick up any other fares, carry passengers or accept another delivery at the same time unless by prior agreement with the requesting organisation e.g. Trust drivers following pre-defined collection/delivery routes
•	You must only hand over the consignment to an authorised person wearing a Trust ID badge
•	You must ensure the person who accepts the consignment signs for the package and records the time of delivery
•	You must ensure that all documentation is completed including the pick up and delivery times on the transfer documentation which will be retained for audit purposes
•	You are expected to comply with all road traffic regulations and transport laws
•	You must have the appropriate insurance
•	If you break down or have an accident, you must tell your control ASAP so they can sen a replacement vehicle and contact the laboratory with an estimated time of delivery.
•	You must inform the dispatch hospital of any loss or damage to the consignment as soo as possible
•	You must inform the receiving hospital of any untoward event that has occurred on the journey (such as an accident, dropped consignment, temporary loss of consignment)
	Blood Transfusion Lab contact Number
•	Your assistance in complying with these regulations is important to us.

## 6.0 REFERENCES

- National Blood Transfusion Committee (2011), Guidance for the Emergency Transfer of Blood and Components with Patients between Hospitals <u>http://www.transfusionguidelines.org.uk/docs/pdfs/bbt\_transfer\_Blood\_Guidance\_Final\_243</u> <u>11.pdf</u> (last accessed 24.07.13)
- The Association of Anaesthetists of Great Britain and Ireland (2009), AAGBI Safety Guideline Interhospital Transfer <u>http://www.aagbi.org/sites/default/files/interhospital09.pdf</u> (last accessed 24.07.13)