



Reinfusion Checklist for Intraoperative Cell Salvage (ICS)

Pre-reinfusion Checks

Have any procedural issues been discussed with the clinician prior to prescription of the blood*?

☐ Yes/Non-identified

E.g. machine run in manual mode, suspected contamination

Has the blood been prescribed by a clinician?

☐ Yes

Does the blood appear suitable for reinfusion?

☐ Yes

E.g. there are no clots or visible debris

Is the blood within its expiry date and time/is there sufficient time to reinfuse the blood before it expires?

☐ Yes

Has positive patient identification been confirmed between the label on the ICS blood and the patient's identification band?

☐ Yes

Is a filter, appropriate to the type of surgery, available*?

☐ Yes

Have pre-transfusion observations been taken and documented in accordance with local policy?

☐ Yes

Is there any other reason why the reinfusion of the blood should not commence?

☐ No

E.g. the patient is a Jehovah's Witness who has not consented to the reinfusion of ICS blood

If **ALL** of the boxes are not ticked **DO NOT** begin reinfusion of the ICS blood

* If reinfusion of the ICS blood is to begin outside of the operating theatre where the procedure has taken place, special requirements for reinfusion should be identified during the World Health Organisation Surgical Safety Checklist - SIGN OUT