

Guidelines for the Blood Transfusion Services

25.7: Protocol 000002 – blood derivative dispatch information

<http://www.transfusionguidelines.org/red-book/chapter-25-standards-for-electronic-data-interchange-within-the-uk-blood-transfusion-services/25-7-protocol-000002-blood-derivative-dispatch-information>

25.7: Protocol 000002 – blood derivative dispatch information

Two data line structures are defined within this protocol. The first is a single line containing administrative information (order no., dispatch no.), and the second is a multiple occurrence line with an entry for each item on the dispatch. To distinguish between the two line types, a line type indicator is included as the first field following the line number (see Tables 25.7 and 25.8).

Table 25.6 Message protocol 000001: blood component dispatch information. Field 14: platelet-specific phenotype

Character position in field	Antigen
1	HPA-1a
2	HPA-1b
3	HPA-3a
4	HPA-3b
5	HPA-5a
6	HPA-5b
7	Unassigned
8	Unassigned
9	Unassigned
10	Unassigned

Table 25.7 Message protocol 000002: blood derivative dispatch information: administration line

Field	Length	Description	Format	Mandatory?	Notes
1	5	Line number	NNNNN	Y	
2	1	Line type	N	Y	= '1'
3	12	Order no.	C(12)	Y	
4	12	Dispatch no.	C(12)	Y	
5	8	Date	YYYYMMDD	Y	
6	4	Time	HHMM	N	
7	2	Checksum	NN	Y	
8	1	Terminator	Carriage return	Y	